clean TACK

TOTAL SOURCE MANUFACTURING

HISTORICAL MATERIAL SAFETY RECORD

CRP0430 adhesive mats

The original issuer pages follow. This cover identifies the products that link to this record in the Total Source library. Refer to the issuer pages for the original date, material or product scope, and applicability.

PRODUCT LIBRARY REFERENCES

Product	Linked ordering codes
Cleanroom Sticky Mats	CRP02430-B-8, CRP02430-W-8, CRP02430-G-8, CRP02430-B, CRP02430-G, CRP02430-W, CRP0430-18X30-B-8, CRP0430-18X30-B, CRP0430-18X30-G, CRP0430-18X30-W, CRP0430-18X30-G-8, CRP0430-18X30-W-8, CRP0430-1B, CRP0430-1B-8, CRP0430-1G, CRP0430-1G-8, CRP0430-1W, CRP0430-1W-8, CRP0430-2B, CRP0430-2B-8, CRP0430-2G, CRP0430-2G-8, CRP0430-2W, CRP0430-2W-8, CRP0430-3B, CRP0430-3B-8, CRP0430-3G, CRP0430-3G-8, CRP0430-3W, CRP0430-3W-8, CRP0430-4B, CRP0430-4B-8, CRP0430-4G, CRP0430-4G-8, CRP0430-4W, CRP0430-4W-8, CRP0430-5B, CRP0430-5B-8, CRP0430-5G, CRP0430-5G-8, CRP0430-5W, CRP0430-5W-8, CRP0430-6B, CRP0430-6B-8, CRP0430-6G, CRP0430-6G-8, CRP0430-6W, CRP0430-6W-8, CRP0430-7B, CRP0430-7B-8, CRP0430-7G, CRP0430-7G-8, CRP0430-7W, CRP0430-7W-8, CRP0430-8B, CRP0430-8B-8, CRP0430-8G, CRP0430-8G-8, CRP0430-8W, CRP0430-8W-8, CRP0430-9B, CRP0430-9B-8, CRP0430-9G, CRP0430-9G-8, CRP0430-9W, CRP0430-9W-8

MATERIAL SAFETY DATA SHEET

STEP ONE ADHESIVE MATS

Identification

Product Code: CRP0430

Product Description: The Adhesive Mat is a disposable, adhesive coated film used for the removal of particles in critical environmental areas.

Physical and Chemical Properties

Components:

Film	Polyethylene
Adhesive	Ethyl Acetate MEK Ethylhexlacrylate Buthylacrylate

Physical Data:

Film	Form: Sheets Color: Blue, White, Grey Specific Gravity: 0.92
Adhesive	Type: Acrylic Adhesive Solubility: Soluble in Acetone E.A.

Stability and Reactivity

Polyethylene	Sulfuric Acid, Hydrochloric Acid, Nitric Acid Will soften P.E. Film.
Adhesive	Acetone, E.A. Tolunen, Benzene Will Dissolve the Adhesive.

Potential Health Effects/First Aid Measures

Potential Health Effects: Adhesive Mats has been manufactured and used in industrial and as consumer products without any hazard effects on health. Adhesive Mats has been categorized as non-toxic.

Eye contact will produce a mechanical irritation. Skin contact should produce no skin irritation, swelling, or sensitization.

a division of ...

Total Source Manufacturing

www.tsmfg.com

Voice: 888-460-4440 / 858-586-9922
Fax: 888-966-5550 / 858-586-0055
7077 Consolidated Way, Building G
San Diego, CA 92121 USA

MATERIAL SAFETY DATA SHEET

STEP ONE ADHESIVE MATS (continued)

First Aid- Eye Contact:	Mechanical irritation- remove particle. Seek medical help if irritation persists.

Other Precautions

Storage:	Lay flat and Do Not bend or place on uneven floor. Keep away from heat, flames, chemicals, and solvents. Do not store longer than 6 Mo.

a division of ...

www.tsmfg.com

Voice: 888-460-4440 / 858-586-9922
Fax: 888-966-5550 / 858-586-0055
7077 Consolidated Way, Building G